

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	838	("713"/\$.ccls. "380"/\$.ccls. "726"/\$.ccls. "705"/\$.ccls.) and ((detect\$3 judg\$3 determin\$3) with (unauthoriz\$5 illegal misuse illicit\$3) near3 (terminal device apparatus\$2 player unit station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 14:28
L10	58	L9 and (receiv\$3 with ((IP MAC) near3 address) with (terminal device apparatus\$2 player unit station))	US-PGPUB; USPAT	OR	ON	2009/06/05 14:28
L11	14	(US-20040117663-\$ or US-20040117628-\$ or US-20030228015-\$ or US-20030163374-\$ or US-20020154779-\$).did. or (US-7395429-\$ or US-7353541-\$ or US-7346580-\$ or US-7293294-\$ or US-7228419-\$ or US-7216228-\$ or US-7124114-\$ or US-6697945-\$ or US-6128391-\$).did.	US-PGPUB; USPAT	OR	ON	2009/06/05 14:35
L12	4	11 and (IP near address)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 14:36
L13	11	11 and ((secret near key) (certificate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 14:39
L14	3	12 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 14:41
L16	3	11 and ((symmetric near key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 17:10

L17	8	11 and ((symmetric near key) certificate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 17:11
L18	2	11 and ((symmetric near key)) and certificate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 17:12
L20	11	9 and ((access\$3 with content) same ((exceed\$3 higher greater) with (limit pre\$1determin\$3 pre \$1defin\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 17:15
L21	4672	("713"/\$.ccls. "380"/\$.ccls. "726"/\$.ccls. "705"/\$.ccls.) and ((unauthoriz\$5 illegal misuse illicit\$3) near3 (terminal device apparatus\$2 player unit station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 17:18
L22	24	21 and ((access\$3 with content) same ((exceed\$3 higher greater) with (limit pre\$1determin\$3 pre \$1defin\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 17:18
L23	13	22 not 20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 17:18
L24	81	21 and (cop\$4 same ((exceed\$3 higher greater) with (limit pre \$1determin\$3 pre\$1defin \$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 17:20
L25	58	24 and @ad<"20040116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 17:21
L26	21	25 and authenticat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/05 17:21
S1	320	ohmori-motoji.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 20:12

S2	353	ohara-shunji.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 20:12
S3	647	katayama-takashi.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 20:13
S4	36973	matsushita-electric- industrial-co-ltd.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 20:13
S5	1272	panasonic-corporation.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 20:14
S6	4	("5949877", "6442626"). pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/02 20:20
S8	50	(US-20070088945-\$ or US- 20030016827-\$ or US- 20010001876-\$ or US- 20020180581-\$ or US- 20030004827-\$ or US- 20030028493-\$ or US- 20030159041-\$ or US- 20040019787-\$ or US- 20040128241-\$ or US- 20040128252-\$ or US- 20040228360-\$ or US- 20050005154-\$ or US- 20050120209-\$ or US- 20050223415-\$ or US- 20070101143-\$ or US- 20070162741-\$ or US- 20090010439-\$ or US- 20090063859-\$ or US- 20040190868-\$).did. or (US-7093128-\$ or US- 6185685-\$ or US-5349643- \$ or US-6088799-\$ or US- 5481612-\$ or US-5721780- \$ or US-5771291-\$ or US- 6009102-\$ or US-6067621- \$ or US-6073237-\$ or US- 6816970-\$ or US-6950941- \$ or US-6978021-\$ or US- 7089214-\$ or US-7155607- \$ or US-7293282-\$ or US-	US-PGPUB; USPAT	OR	ON	2009/06/03 17:14

		7315943-\$ or US-7424733-\$ or US-5812955-\$ or US-4866769-\$ or US-5311596-\$ or US-5321242-\$ or US-5451757-\$ or US-5708716-\$ or US-5742756-\$ or US-5748742-\$).did. or (US-6035039-\$ or US-6126071-\$ or US-6198823-\$ or US-4317957-\$ or US-4596898-\$).did.				
S9	18	S8 and ((compar\$3 judg\$3 match\$3) with access\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 17:19
S10	4	S8 and ((detect\$3 judg\$3 determin\$3) with (unauthoriz\$5 illegal misuse illicit\$3) near3 (terminal device apparatus\$2 player unit station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 17:25
S11	1	S7 and ((detect\$3 judg\$3 determin\$3) with (unauthoriz\$5 illegal misuse illicit\$3) near3 (terminal device apparatus\$2 player unit station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 18:13
S12	1	S7 and ((detect\$3 judg\$3 determin\$3) with (unauthoriz\$5 illegal misuse illicit\$3) near3 (terminal device apparatus\$2 player unit station copy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 18:13
S13	320	ohmori-motoji.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 18:14
S14	18	S13 and ((detect\$3 judg\$3 determin\$3) with (unauthoriz\$5 illegal misuse illicit\$3) near3 (terminal device apparatus\$2 player unit station copy))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 18:14

S15	838	("713"/\$.ccls. "380"/\$.ccls. "726"/\$.ccls. "705"/\$.ccls.) and ((detect\$3 judg\$3 determin\$3) with (unauthoriz\$5 illegal misuse illicit\$3) near3 (terminal device apparatus\$2 player unit station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 20:39
S16	429	S15 and @ad<"20040116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 20:39
S17	422	S16 not S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 20:40
S18	251	S16 and authenticat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 20:43
S19	83	S18 and ((model serial) near number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/03 20:44
S20	15	(US-20040117663-\$ or US-20040117628-\$ or US-20030228015-\$ or US-20030163374-\$ or US-20020154779-\$).did. or (US-7395429-\$ or US-7353541-\$ or US-7346580-\$ or US-7293294-\$ or US-7228419-\$ or US-7216228-\$ or US-7124114-\$ or US-6697945-\$ or US-6671803-\$ or US-6128391-\$).did.	US-PGPUB; USPAT	OR	ON	2009/06/03 22:25
S21	3	S20 and (receiv\$3 with ((model serial) near3 number))	US-PGPUB; USPAT	OR	ON	2009/06/03 22:26
S22	7	S20 and ((model serial) near3 number) with (terminal device apparatus\$2 player unit station)	US-PGPUB; USPAT	OR	ON	2009/06/03 22:28
S23	4	S20 and (server with stor\$3 with ((terminal device apparatus\$2 player unit station) near3 (information data)))	US-PGPUB; USPAT	OR	ON	2009/06/03 22:35

S24	24	S15 and (receiv\$3 with ((model serial) near3 number) with (terminal device apparatus\$2 player unit station))	US-PGPUB; USPAT	OR	ON	2009/06/03 22:38
S25	127	S15 and (server with authenticat\$3 with (terminal device apparatus\$2 player unit station))	US-PGPUB; USPAT	OR	ON	2009/06/03 22:39
S26	58	S15 and (receiv\$3 with ((IP MAC) near3 address) with (terminal device apparatus\$2 player unit station))	US-PGPUB; USPAT	OR	ON	2009/06/03 22:40
S27	106	S15 and (server with stor\$3 with ((terminal device apparatus\$2 player unit station) near3 (information data)))	US-PGPUB; USPAT	OR	ON	2009/06/03 22:41
S28	0	S24 and S26	US-PGPUB; USPAT	OR	ON	2009/06/03 22:41
S29	4	S24 and S25 and S27	US-PGPUB; USPAT	OR	ON	2009/06/03 22:42
S30	317	S15 and (receiv\$3 with (((model serial) near3 number) (ID identif\$7)) with (terminal device apparatus\$2 player unit station))	US-PGPUB; USPAT	OR	ON	2009/06/03 22:47
S31	237	S15 and (authenticat\$3 with (terminal device apparatus\$2 player unit station) same (((model serial) near3 number) (ID identif\$7)))	US-PGPUB; USPAT	OR	ON	2009/06/03 22:49
S32	157	S30 and S31	US-PGPUB; USPAT	OR	ON	2009/06/03 22:49
S33	425	S15 and (authenticat\$3 with (terminal device apparatus\$2 player unit station))	US-PGPUB; USPAT	OR	ON	2009/06/03 22:50
S34	13	S32 and S26	US-PGPUB; USPAT	OR	ON	2009/06/03 22:50
S35	838	("713"/\$.ccls. "380"/\$.ccls. "726"/\$.ccls. "705"/\$.ccls.) and ((detect\$3 judg\$3 determin\$3) with (unauthoriz\$5 illegal misuse illicit\$3) near3 (terminal device apparatus\$2 player unit station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 08:46

S36	2	S35 and ((identical near3 (content terminal device) near3 key) same (identical near3 (terminal device apparatus\$2 player station unit) near3 (ID identif \$7)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 08:46
S37	139617	("713"/\$.ccls. "380"/\$. ccls. "726"/\$.ccls. "705"/\$. ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 08:47
S38	11	S37 and ((identical near3 (content terminal device) near3 key) same (identical near3 (terminal device apparatus\$2 player station unit) near3 (ID identif \$7)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 08:48
S39	0	"20050021985".pn. and (identical near3 (content terminal device) near3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 08:57
S40	0	"20050021985".pn. and (identical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 08:58
S41	0	"20050021985".pn. and (exact near match\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 08:58
S42	0	"20050021985".pn. and (equivalent)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 08:58
S43	2	"20070088945".pn. and identical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 09:27
S44	429	S35 and @ad< "20040116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 10:13

S45	251	S44 and authenticat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 10:13
S46	83	S45 and ((model serial) near number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 10:13
S47	69	S46 and (authenticat\$3 with (terminal device apparatus\$2 player unit station))	US-PGPUB; USPAT	OR	ON	2009/06/04 10:13
S48	58	S47 and ((content terminal device) near3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 10:13
S49	39	("713"/\$.ccls. "380"/\$. ccls. "726"/\$.ccls. "705"/\$. ccls.) and (((IP near address)(user near (ID identif\$7))) same ((equal \$3 greater higher) with ((predetermin\$3 pre \$1defin\$3) near3 (value information data))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 14:20
S50	838	("713"/\$.ccls. "380"/\$. ccls. "726"/\$.ccls. "705"/\$. ccls.) and ((detect\$3 judg \$3 determin\$3) with (unauthoriz\$5 illegal misuse illicit\$3) near3 (terminal device apparatus \$2 player unit station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 14:51
S51	0	S50 and (request\$3 with ((IP near address)(user near (ID identif\$7))) same ((meet\$3 exceed\$3 equal \$3 greater higher) with ((predetermin\$3 pre \$1defin\$3) near3 (value information data))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 14:51
S52	70	(request\$3 with ((IP near address)(user near (ID identif\$7))) same ((meet \$3 exceed\$3 equal\$3 greater higher) with ((predetermin\$3 pre \$1defin\$3) near3 (value information data access \$3))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 14:52

S53	2	((request\$3 with content with ((IP near address) (user near (ID identif\$7))) same ((meet\$3 exceed\$3 equal\$3 greater higher) with ((predetermin\$3 pre \$1defin\$3) near3 (value information data access \$3))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 15:21
S54	1126	((request\$3 with (content information data) with (terminal device station apparatus\$2 unit player)) same ((meet\$3 exceed\$3 equal\$3 greater higher) with ((predetermin\$3 pre \$1defin\$3) near3 (value information data access \$3))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 17:49
S55	2	S50 and ((request\$3 with (content information data) with (terminal device station apparatus\$2 unit player)) same ((meet\$3 exceed\$3 equal\$3 greater higher) with ((predetermin\$3 pre \$1defin\$3) near3 (value information data access\$3))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 17:49
S56	6	S50 and ((number near3 (request\$3 access\$3)) same ((meet\$3 exceed\$3 equal\$3 greater higher) with ((predetermin\$3 pre \$1defin\$3) near3 (value information data access \$3))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 17:52
S57	7	S50 and ((number near3 (request\$3 access\$3 copy \$3)) same ((meet\$3 exceed\$3 equal\$3 greater higher) with ((predetermin\$3 pre \$1defin\$3) near3 (value information data access\$3))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 20:19
S58	1	S57 not S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 20:19

S59	2190	("713"/\$.ccls. "380"/\$.ccls. "726"/\$.ccls. "705"/\$.ccls.) and ((find\$3 specif\$7 detect\$3 judg\$3 determin\$3) with (clon\$3 unauthoriz\$5 illegal misuse illicit\$3 cop\$3) near3 (terminal device apparatus\$2 player unit station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 20:22
S60	9	S59 and ((number near3 (request\$3 access\$3 copy \$3)) same ((meet\$3 exceed\$3 equal\$3 greater higher) with ((predetermin\$3 pre\$1defin\$3) near3 (value information data access\$3))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 20:23
S61	3	S60 not S56	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 20:23
S62	139617	("713"/\$.ccls. "380"/\$.ccls. "726"/\$.ccls. "705"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 20:25
S63	111	S62 and ((number near3 (request\$3 access\$3 copy \$3)) same ((meet\$3 exceed\$3 equal\$3 greater higher) with ((predetermin\$3 pre\$1defin\$3) near3 (value information data access\$3))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 20:25
S64	42	S63 and authenticat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 20:26
S65	50	(US-20070088945-\$ or US-20030016827-\$ or US-20010001876-\$ or US-20020180581-\$ or US-20030004827-\$ or US-20030028493-\$ or US-20030159041-\$ or US-20040019787-\$ or US-20040128241-\$ or US-20040128252-\$ or US-20040228360-\$ or US-20050005154-\$ or US-20050120209-\$ or US-	US-PGPUB; USPAT	OR	ON	2009/06/04 20:45

		20050223415-\$ or US-20070101143-\$ or US-20070162741-\$ or US-20090010439-\$ or US-20090063859-\$ or US-20040190868-\$).did. or (US-7093128-\$ or US-6185685-\$ or US-5349643-\$ or US-6088799-\$ or US-5481612-\$ or US-5721780-\$ or US-5771291-\$ or US-6009102-\$ or US-6067621-\$ or US-6073237-\$ or US-6816970-\$ or US-6950941-\$ or US-6978021-\$ or US-7089214-\$ or US-7155607-\$ or US-7293282-\$ or US-7315943-\$ or US-7424733-\$ or US-5812955-\$ or US-4866769-\$ or US-5311596-\$ or US-5321242-\$ or US-5451757-\$ or US-5708716-\$ or US-5742756-\$ or US-5748742-\$).did. or (US-6035039-\$ or US-6126071-\$ or US-6198823-\$ or US-4317957-\$ or US-4596898-\$).did.				
S66	0	S65 and ((number near3 (request\$3 access\$3 copy \$3)) same ((meet\$3 exceed\$3 equal\$3 greater higher) with ((predetermin\$3 pre\$1defin\$3) near3 (value information data access\$3))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 20:45
S67	1	S65 and (((request\$3 access\$3 copy\$3)) same ((meet\$3 exceed\$3 equal \$3 greater higher) with ((predetermin\$3 pre \$1defin\$3) near3 (value information data access \$3))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 20:45
S68	957	S62 and (((request\$3 access\$3 copy\$3)) same ((meet\$3 exceed\$3 equal \$3 greater higher) with ((predetermin\$3 pre \$1defin\$3) near3 (value information data access \$3))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 20:46

S69	356	S68 and authenticat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 20:46
S70	600	S62 and (((request\$3 access\$3 copy\$3)) with ((meet\$3 exceed\$3 equal \$3 greater higher) with ((predetermin\$3 pre \$1defin\$3) near3 (value information data access \$3))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 20:47
S71	257	S70 and authenticat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 20:48
S72	125	S71 and @ad< "20040116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 20:48
S73	838	("713"/\$.ccls. "380"/\$. ccls. "726"/\$.ccls. "705"/\$. ccls.) and ((detect\$3 judg \$3 determin\$3) with (unauthoriz\$5 illegal misuse illicit\$3) near3 (terminal device apparatus \$2 player unit station))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 21:03
S74	429	S73 and @ad< "20040116"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 21:03
S75	251	S74 and authenticat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 21:03
S76	83	S75 and ((model serial) near number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 21:03
S77	10	S76 and (((meet\$3 exceed \$3 equal\$3 greater higher) with ((predetermin \$3 pre\$1defin\$3) near3 (value information data access\$3))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 21:03

6/ 5/ 09 10:12:02 PM

C:\ Documents and Settings\ mnguyen16\ My Documents\ EAST\ Workspaces\ 10577435.wsp